

ROBUST AND RELIABLE A3 SCANNER



A3 Departmental Scanner

With its versatile A3 document feeder and uniquely compact design, the imageFORMULA DR-M1060II is perfect for reliably scanning various document types, while keeping the footprint low - making it ideal for offices that need A3 scanning but are limited by space.

Unique space-saving design

The DR-M1060II is a uniquely compact A3 scanner - ideal in corporate office departments or decentralised branch offices that have limited desktop space but require A3 scanning. Users will appreciate the comfortable and convenient operation of the front document feed and exit design, especially when handling A3 size documents.

DR-M1060II

B&W AND COLOUR
SPEED
60 PPM / 120 IPM

SUGGESTED DAILY
VOLUME
7,500 - 13,000

AUTOMATIC
DOCUMENT FEEDER
80 SHEETS

U-TURN PATH /
STRAIGHT PATH

ROBUST AND FLEXIBLE A3 SCANNER THAT TAKES UP LESS SPACE

Exceptional image processing quality

Enjoy perfect image results with the DR-M1060II's host of advanced image processing features, such as Advanced Text Enhancement that produces clear legible images even from faint text originals. Additional features like Auto Colour Detection, Auto Size and Deskew Correction, Text Orientation Correction and Customised Colour Dropout further enhance image quality and consistency.

High-performance scanning, built to last

Despite its compact design, the DR-M1060II is robustly built for handling high-volume workloads of up to 13,000 documents a day. It is extremely productive with ultra-fast duplex scanning speeds of up to 120 ipm (A4) and a 80-sheet document feeder - ideal for fast-paced business environments.


Ultra-smart, ultra-efficient handling

With skew detection, and ultrasonic double feed detection, the DR-M1060II reduces errors and saves time when scanning.

A convenient Double Feed Release (DFR) feature allows you to quickly 'ignore and continue' scanning in special cases where a double feed has been incorrectly detected, such as when scanning an envelope or a document with a sticky note. Users can save time by conveniently separating batches of documents automatically using a blank page separator sheet.

Reliable and versatile paper handling

The DR-M1060II offers maximum document handling flexibility, allowing users to choose between two feeding mechanisms, U-turn Paper Path as default and Straight Path when Straight Path Tray is open. With a robust feeder mechanism it's easy to scan a variety of media types, including embossed / plastic cards, thick and thin media - and up to 3m long documents. Users also have the ability to scan A1 size documents using the folio mode feature whenever they need it.





Long Paper Scanning

Packed With The Latest Software



Capture OnTouch

Intuitive capture software that makes it quick and simple to achieve premium quality results. Scan to multiple file formats including PDF, PDF-A, TIFF, JPEG, BMP, PPTX, DOCX and XLSX; send images directly to data management applications, such as SharePoint for smooth, efficient document workflows. For routine scanning tasks register up to 9 scanning jobs for fast, accurate processing.



Reduced environmental impact

Minimise your environmental impact using energy-efficient device made from more than 20% recycled materials and with environmentally friendly packaging.



TECHNICAL SPECIFICATIONS



Flatbed Scanner Unit 102

Extra advantages make a difference

The DR-M1060II comes with a host of optional accessories that enable users to be even more productive. The A4 optional Flatbed Scanner units allow users to scan bound books, journals and fragile media. This USB-connected dual-scanning flatbed unit works seamlessly with the DR-M1060II, so users can apply the same image-enhancement features to any scan.

Software Developer Kit (SDK)

Software developer kits and tools are available through the Canon Developer Programme To register for the programme:

- Please visit the registration page - <https://developers.canon-europe.com/>
- If you experience any issues signing up please contact CDP admin at cdp-admin@canon-europe.com

Type	Desktop Type Sheet Fed Scanner	
Document Reading Sensor	CMOS CIS 1 Line Sensor	
Optical Resolution	600 dpi	
Light Source	RGB LED	
Reading Side	Simplex / Duplex / Skip blank page / Folio	
Interface	High Speed USB 2.0	
Dimensions	Trays Closed: 424 (W) x 246 (D) x 120 (H) mm Trays Opened: 424 (W) x 440 (D) x 210 (H) mm	
Weight	Approx. 6.1 kg	
Power Requirements	AC100 - 240V (50 / 60Hz)	
Power Consumption	Scanning: 32.5W or less, Sleep Mode: 1.9W or less, Power Turned Off: 0.1W or less	
Operating Environment	10 - 32.5°C (50 - 90.5°F), Humidity: 20 - 80% RH	
Environmental Compliance	RoHS	
READING SPEED¹	A4, Portrait	A4, Landscape
B&W / Greyscale	200 dpi 300 dpi	40 ppm / 80 ipm 40 ppm / 80 ipm
Colour	200dpi 300 dpi	60 ppm / 120 ipm 60 ppm / 120 ipm 30 ppm / 60 ipm 40 ppm / 80 ipm
DOCUMENT SPECIFICATIONS		
Width	50.8 - 300 mm	
Length	70 - 432 mm	
Thickness	U-Turn	Straight-Through
Plastic card scanning	0.04 - 0.15 mm (27 - 128g/m ²)	0.04 - 0.3 mm (27 - 255g/m ²)
Business card scanning	-	54 x 86 x 1.4 mm (Embossed card scanning is supported)
Long Document Mode	-	50.8 - 91 mm (Thickness 380g/m ² 0.45 mm or less)
Paper Separation	-	Up to 3,000 mm Max
Feeder Capacity	Retard Roller Method (Reversing Separator Roller) 80 sheets (A4, 80g/m ²)	
OUTPUT		
Resolution	100 x 100 dpi, 150 x 150 dpi, 200 x 200 dpi, 240 x 240 dpi, 300 x 300 dpi, 400 x 400 dpi, 600 x 600 dpi	
Mode	Detect Automatically, Black & White, Error Diffusion, Advanced Text Enhancement, Advanced Text Enhancement II, 8-Bit Greyscale: (256-Level), 24-Bit Colour	
SPECIAL FEATURES	Automatic Page Size Detection, Deskew, Colour Dropout (RGB), Colour Enhance (RGB), Colour Elimination, Auto Colour Detection, Text Orientation, MultiStream, Prescan, Batch Separation (Patch Code / Blank Page / Counter / Barcode / Zonal OCR / Front page), Image Rotation, Skip Blank Page, Folio, Staple Detection, Skew Detection, Moire Reduction, Prevent Bleed Through / Remove Background, Character Emphasis, Background Smoothing, Remove Shadow, Imprinter Add-on, Auto Resolution Setting, Erase Dot, Erase Notch, Rapid Recovery, Double Feed Detection (Ultrasonic Sensor / By Length), Double Feed Release (DFR), Barcode and 2D code recognition	
BUNDLED SOFTWARE		
For Windows OS	ISIS / TWAIN Driver CaptureOnTouch Pro	
Options	A4 Flatbed Scanner Unit 102	
Consumables	Exchange Roller Kit	
Suggested Daily Volume	from 7,500 to 13,000 scans/day	

¹ The scanning speeds may depend on the specification of the PC and the setting of functions

Visit the Canon website for more information.



Canon Ireland
3006 Lake Drive
Citywest, Saggart
Co. Dublin, Ireland
Telephone No: 01 2052400
Facsimile No: 01 2052525
canon.ie

Canon (UK) Ltd
The Bower
4 Roundwood Avenue
Stockley Park
Uxbridge
UB11 1AF

Canon Electronics Inc.
canon-elec.co.jp
Canon Europe
canon-europe.com
English edition
© Canon Europa N.V., 2023